

**CLAIM LISTING**

1–12. (Canceled)

13. (Previously Presented) A computer program product, comprising:  
a computer-readable memory device; and  
computer-readable program code segments, stored on the computer-readable memory device, for:

receiving, at a client having a local cache, input related to a request for content of a web page, the request including an address for the web page; and

in response to receiving the input:

determining, at the client, that there is content associated with the web page in the local cache;

when there is content associated with the web page in the local cache, inserting a unique identifier into the address; and

transmitting the request to a server.

14. (Previously Presented) The computer program product of claim 13, further comprising:

computer-readable program code segments, stored on the computer-readable memory device, for determining whether the received input comprises either an event requesting a currently-displayed web page to be refreshed or an event requesting navigation to a previously-displayed web page.

15-31. (Canceled)

32. (Previously Presented) A method, comprising:
- receiving, at a client having a local cache, input related to a request for content of a web page, the request including an address for the web page; and
  - in response to receiving the input:
    - determining, at the client, that there is content associated with the web page in the local cache;
    - when there is content associated with the web page in the local cache, inserting a unique identifier into the address; and
    - transmitting the request to a server.
33. (Previously Presented) The method Claim 32, wherein determining whether there is content associated with the web page in the local cache comprises:
- determining whether the received input comprises either an event requesting a currently-displayed web page to be refreshed or an event requesting navigation to a previously-displayed web page.
- 34-35. (Canceled)
36. (Previously Presented) The computer program product of Claim 13, wherein the address includes a Universal Resource Locator ("URL") to content of at least a portion of a web page.
37. (Previously Presented) The computer program product of Claim 13, wherein the address includes a query string, the unique identifier being appended to the address in the query string.
38. (Previously Presented) The computer program product of Claim 13, wherein the unique identifier includes a random number.
39. (Previously Presented) The computer program product of Claim 13, wherein the unique identifier includes a time stamp.
40. (Previously Presented) The computer program product of Claim 13, wherein the unique identifier comprises an alpha-numeric representation.

41. (Previously Presented) The method of Claim 32, wherein the address includes a Universal Resource Locator ("URL") to content of at least a portion of a web page.
42. (Previously Presented) The method of Claim 32, wherein the address includes a query string, the unique identifier being appended to the address in the query string.
43. (Previously Presented) The method of Claim 32, wherein the unique identifier includes a random number.
44. (Previously Presented) The method of Claim 32, wherein the unique identifier includes a time stamp.
45. (Previously Presented) The method of Claim 32, wherein the unique identifier comprises an alpha-numeric representation.
46. (New) A method, comprising:
  - receiving, at a client, input related to a request for content of a web page, the request including an address for the web page; and
  - in response to receiving the input:
    - determining, at the client, whether to transmit the request to a server regardless of whether there is content associated with the address in a local cache; and
    - if the determination is to transmit the request to a server regardless of whether there is content associated with the address in a local cache,:
      - inserting a unique identifier into the address; and
      - transmitting the request to a server.
47. (New) The method of Claim 46, wherein the address includes a Universal Resource Locator ("URL") to content of at least a portion of a web page.
48. (New) The method of Claim 46, wherein the address includes a query string, the unique identifier being appended to the address in the query string.
49. (New) The method of Claim 46, wherein the unique identifier includes a random number.

50. (New) The method of Claim 46, wherein the unique identifier includes a time stamp.

51. (New) The method of Claim 46, wherein the unique identifier comprises an alpha-numeric representation.